

# **BTEC EXTENDED CERTIFICATE IN APPLIED SCIENCE**

# There are 2 parts to the SIL

- 1. Complete all questions, then mark. The mark Scheme is at the end of the document
- 2. Use the information to test yourself. This will be assessed in the initial assessment. Use the video for advice for how to do this: <u>https://www.youtube.com/watch?v=wrDOoBuP9A8</u>

# **Unit F180: Fundamentals of Science**

Answer all the questions. There are links to websites which you may find helpful. You will be given a test on these concepts at the start of the term.

This unit covers some of the key science concepts in biology, chemistry and physics.

This section looks at some of the chemistry concepts you have covered at GCSE and will cover in more depth in Unit 1.

#### Periodicity and properties of elements

#### □ Atomic Structure

https://www.bbc.co.uk/bitesize/guides/zwn8b82/revision/3 (pages 3,4 and 5) https://phet.colorado.edu/sims/html/build-an-atom/latest/build-an-atom\_en.html

Q1. Figure 1 shows an atom of element G.

Figure 1 Draw a ring around the correct answer to complete each Α sentence. (a) Label A shows an electron a nucleus an ion (1) Proton (b) Label **B** shows R an isotope a molecule a neutron (1) (c) The atomic number of element G is 5 6 10 11 16 (1) (d) The mass number of element **G** is 5 10 11 16 6 (1)



### Periodic Table

https://www.bbc.co.uk/bitesize/guides/ztv797h/revision/2 (pages 2-8) https://www.rsc.org/periodic-table/

**Q2.** The Periodic table below contains **six** errors. State what they are.

					н												He
Li	Be										В	С	Ν	0	FI	Ne	
Na	Mg											AI	Si	Ρ	S	CL	Ar
к	Ca	Sc	Ti	V	Cr	Mn	fe	со	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr
Rb	Sr	У	Zr	Nb	Mo	Тс	Ru	Rh	рD	Ag	Cd	In	Sn	Sb	Te	I	Xe
Cs	Bα	La	Нf	Τα	W	Re	Os	Ir	Pt	Au	Hg	ΤI	Pb	Bi	Po	At	Rn
Fr	Ra	Ac	Rf	Db	Sg	Bh	Hs	M†	Ds	Rg							

**Q3.** Give the term from the list below that applies to each number:



4=

8=

(6)



element X

Q4. Read the information below on element X carefully. Use this to help you answer the questions which follow.

Element X has two different isotopes, both of which contain 17 protons. The least abundant isotope contains 20 neutrons. The second isotope is three time more abundant and contains 2 more neutrons. All the atoms contain 2 electrons in the first shell, 8 electrons in the second shell and 7 electrons in the third.

(a) Where in the Periodic Table is element X found:

Group: .....

- Period: .....
- (b) Use the Periodic Table in Q3. the key and your answer to Q4.(a) to complete Figure 2. for

(2)



- (4)
- (c) Is element X a metal or non-metal? (1)
- (d) Identify an element, in the same group as X, which has a lower boiling point than X.
- (1)

#### **Chemical reactions and equations**

https://www.bbc.co.uk/bitesize/guides/zy4pmsg/revision/1	(pages 1-6)
https://www.bbc.co.uk/bitesize/guides/z2bfxfr/revision/1	(pages 1,2)

Equations are used to show chemical reactions.

Reactants are written on the left of the arrow and products are written on the right.

For example:

ethane C <sub>2</sub> H <sub>6</sub>	+	oxygen O <sub>2</sub>	$\rightarrow$	carbon dioxide CO <sub>2</sub>	+ water H <sub>2</sub> O	(word equation)
H H H H		••			H	

Atoms cannot be created or destroyed. They are simply rearranged. Therefore, the equation with formulae needs balancing. (You can only add more of the same molecules. You cannot change the formula of any.)



# **new**collaborative

#### Dpening doors to a brighter fu

The relative formula mass of a molecule/compound ( $M_r$ ) can be calculated by adding the  $A_r$  of all the atoms it contains. The  $A_r$  value for all elements can be found in the Periodic Table.

 $A_{r}$  of C is 12.0,  $A_{r}$  of H is 1.0 and  $A_{r}$  of O is 16.0

 $M_r \text{ of } C_2H_6 = (2 \times 12.0) + (6 \times 1.0) = 30.0 \qquad M_r \text{ of } O_2 = (2 \times 16.0) = 32.0$  $M_r \text{ of } CO_2 = 12.0 + (2 \times 16.0) = 44.0 \qquad M_r \text{ of } H_2O = (2 \times 1.0) + 16.0 = 18.0$ 

The total mass of the reactants = the total mass of the products

Mass of reactants =  $(2 \times M_r C_2 H_6) + (7 \times M_r O_2) = (2 \times 30.0) + (7 \times 32.0) = 284.0$ 

Mass of products =  $(4 \times M_r CO_2) + (6 \times M_r H_2O) = (4 \times 44.0) + (6 \times 18.0) = 284.0$ 

 $\ensuremath{\textbf{Q5.}}$  Lithium reacts with water to form lithium hydroxide and hydrogen.

(a) Balance the symbol equation for this reaction

..... Li(s) + .....  $H_2O(I) \rightarrow$  ..... LiOH(aq) +  $H_2(g)$ 

(b) (i) Complete the table below for this reaction

	Reactant or product	State	Mr
Lithium			
Water	reactant	liquid	18.0
Lithium hydroxide			
Hydrogen			

(ii) Calculate the total mass of the reactants. Are these the same as the total mass of the products? Show your workings.

## Bonding

Chemical reactions involve the breaking and making of bonds. This involves electrons being transferred or shared between atoms.

The total number of electrons at the end of the reaction must be the same as at the start. **Metal** atoms **lose** electrons and form **positively** charged **ions**.

Non-metal atoms gain electrons and form negatively charged ions

OR by sharing them (in pairs) with another non-metal atom

https://www.bbc.co.uk/bitesize/topics/z33rrwx (ionic compounds, small molecules, metals and alloys)

How do you know which type of bonding is present in an element or compound? Consider the type of element(s) it contains:



4

(1) (8)



**Q6.** The electronic structure of a potassium atom is 2,8,8,1 Draw a diagram to show the electronic structure of a potassium ion. Show the charge on the ion.

**Q7.** Complete the dot and cross diagram to show the electrons in the outer shells of ammonia, NH<sub>3</sub>. Use the periodic table to help you.



(2)

**Q8.** The diagrams shown an atom of magnesium and an atom of chlorine.





Opening doors to a brighter future Describe, in terms of electrons, how magnesium atoms and chlorine atoms change into ions to produce Magnesium chloride, MgCl<sub>2</sub>. You may draw labelled diagrams.

 	 	 	 	 	 (4)



# Unit F181: Science in Society

In this unit you will be required to complete a lot of practical procedures and so it is important that you know about laboratory safety.

#### □ Laboratory Safety

 Watch the video on safety in the laboratory: <u>https://www.youtube.com/watch?v=RhIOYhOvCsQ</u>

Use this to complete a list of safety rules to follow when completing any experiment.

3.	
4.	
7.	
8.	



(8)



•

Opening doors to a brighter future

You will be using a number of different chemicals and apparatus when completing these experiments.

- Follow the instructions provided to complete the table below on hazard symbols
  - i) Match the old hazard symbol to the new symbol.
  - ii) Match the new hazard symbol to the hazard name. <u>https://www.acs.org/content/dam/acsorg/about/governance/committees/chemicalsafety/publicati</u> <u>ons/acs-secondary-safety-guidelines.pdf</u> (page 22 and 23)
  - iii) List the precautions which should be taken (in addition to wearing a labcoat and safety glasses) when handling chemicals with these hazards to minimise the chance of an accident occurring. https://www.acs.org/content/dam/acsorg/about/governance/committees/chemicalsafety/publicati ons/acs-secondary-safety-guidelines.pdf (pages 38-40)



Name	Precautions
harmful / irritant	
oxidising agent	
flammable	
harmful to the environment	
corrosive	
toxic	
	(19)



### Practical techniques

One of the practical techniques you will need to complete is the preparation of a standard solution and performing a titration to test the solution you have prepared.

- Watch these videos to help you answer the questions <u>https://www.youtube.com/watch?v=xBKyjXUhJy0</u> <u>https://www.youtube.com/watch?v=rLc148UCT2w</u> <u>https://www.youtube.com/watch?v=gzvzvDv\_BnA</u>
- Q1. (a) What is a standard solution? .....
  - .....(1)
  - (b) The diagram below shows the apparatus used to make a standard solution of sodium carbonate.
     Give the name of each numbered piece of equipment.
     (7)



(c) The standard solution prepared can be used to find the concentration of a solution of hydrochloric acid.



- (i) Complete the label to show name of the apparatus in which the acid is placed. (1)
- (ii) What is the name given to this procedure? .....(1)



(iii) **Figure 2.** shows the level of the sodium carbonate solution in the burette at the start and the end of one titration. Use these to work out the volume of sodium carbonate added in the titration. Give your answer to 2 d.p.

Volume  $Na_2CO_3(aq)$  added = ..... cm<sup>3</sup> (1)

Another practical technique you will need to complete is chromatography.

- The links below may help you to answer the questions on this technique. <u>https://www.youtube.com/watch?v=lj5OWzhZSac</u> <u>https://www.bbc.co.uk/bitesize/guides/z9dfxfr/revision/4</u>
- Q2. (a) What is chromatography used for? .....(1)
  - (b) A student used paper chromatography to analyse a black food colouring. They placed spots of known food colours, A, B, C, D and E and the black food colouring on a sheet of chromatography paper. They set up the apparatus as shown in Diagram 1.



The student made **two** errors in setting up the apparatus. Identify the **two** errors and describe the problem each error would cause.



(c) A different student set up the apparatus without making any errors. The chromatogram in Diagram2. shows the student's results.



(i) What do the results tell you about the composition of the black food colouring?

(ii) Use Diagram 2. to complete Table 1. (2)

 Table 1.

 Distance in mm

 Distance from start line to solvent front

 Distance moved by food colour C

(iii) Use your answers in (c)(ii) to calculate the R<sub>f</sub> value for food colour C. Show your workings.

R<sub>f</sub> value = ..... (1)

(iv) **Table 2.** gives the results of chromatography experiments that were carried out on some known food colours, using the same solvent as the students.

Table 2

Name of food colour	Distance from start line to solvent front in mm	Distance moved by food colour in mm	R <sub>f</sub> value				
Ponceau 4R	62	59	0.95				
Carmoisine	74	45	0.61				
Fast red	67	27	0.40				
Erythrosine	58	17	0.29				

Which of the food colours in **Table 2.** could be food colour **C** from the chromatogram? Give the reason for your answer.



#### Obtaining and analysing results obtained in an experiment

It is important to keep a record of all data whilst carrying out practical work. It is good practice to draw a table before starting the experiment and then enter results straight into the table.

Tables should have clear headings with units.

Time / min	Temperature / °C
0	27.6
1	27.4
2	27.2

The independent variable is the left-hand column in a table, with the following columns showing the dependent variables. All measurements should be written to the same number of decimal places (matching the precision of the measuring instrument).

https://www.bbc.co.uk/bitesize/guides/zcxp6yc/revision/1 https://www.bbc.co.uk/bitesize/quides/zcxp6yc/revision/6

Q3. A student was told to complete a practical to investigate how temperature affects the rate of a reaction. The student carried out the reaction at five different temperatures and recorded the time taken for each.

The student then calculated the rate of reaction, in s<sup>-1</sup> for each experiment using the equation: rate of reaction =  $\frac{1}{\text{time}}$ 

The student's results and calculations are shown below:

at 24.5 °C the experiment took 340 seconds	$1/340 = 0.0029 \text{ s}^{-1}$
at 39.0 °C ít took 256 sec	1/256 = 0.0039 s <sup>-1</sup>
at 58.0 °C the experiment took 124 s	$1/124 = 0.0081 \text{ s}^{-1}$
80.5 °C 62 s	1/62 = 0.0161
51 °C 186 s	1/186 = 0.0054

#### (a) What is the independent variable in this experiment? Circle the correct answer

	rate of reaction	time	temperatu	ure (1)
<b>(b)</b> Tal	bulate the student's data in an ap	opropriate manr	ner.	(4)



Make notes from the following resources, then have a go at completing the questions

# **Titrations and mole calculations**

https://www.bbc.co.uk/bitesize/guides/zx98pbk/revision/3

https://www.youtube.com/watch?v=wPGVQu3UXpw

https://www.youtube.com/watch?v=ovx-Sro4NXM







# Q1.

A student titrated 25.0 cm<sup>3</sup> portions of dilute sulfuric acid with a 0.105 mol/dm<sup>3</sup> sodium hydroxide solution.

(a) The table below shows the student's results.

	Titration	Titration	Titration	Titration	Titration
	1	2	3	4	5
Volume of sodium hydroxide solution in cm <sup>3</sup>	23.50	21.10	22.10	22.15	22.15

The equation for the reaction is:

 $2 \text{ NaOH} + \text{H}_2\text{SO}_4 \rightarrow \text{Na}_2\text{SO}_4 + 2 \text{ H}_2\text{O}$ 

Calculate the concentration of the sulfuric acid in mol/dm<sup>3</sup>

#### Use only the student's concordant results.

Concordant results are those within 0.10 cm<sup>3</sup> of each other.

	Concentration of sulfuric acid = mol/d
b)	Explain why the student should use a pipette to measure the dilute sulfuric acid and a burette to measure the sodium hydroxide solution.
c)	Calculate the mass of sodium hydroxide in 30.0 cm <sup>3</sup> of a 0.105 mol/dm <sup>3</sup> solution.
	Relative formula mass ( $M_r$ ): NaOH = 40



# Q2.

A student investigated the reactions of copper carbonate and copper oxide with dilute hydrochloric acid.

In both reactions one of the products is copper chloride.

(a) Describe how a sample of copper chloride crystals could be made from copper carbonate and dilute hydrochloric acid.

(b) A student wanted to make 11.0 g of copper chloride.

The equation for the reaction is:

 $CuCO_3 + 2HCI \rightarrow CuCl_2 + H_2O + CO_2$ 

Relative atomic masses, *A*<sub>r</sub>: H = 1; C = 12; O = 16; Cl = 35.5; Cu = 63.5

Calculate the mass of copper carbonate the student should react with dilute hydrochloric acid to make 11.0 g of copper chloride.

Mass of copper carbonate = \_\_\_\_\_ g

(4)

(2)

\_ g

(4)

(c) The percentage yield of copper chloride was 79.1 %.

Calculate the mass of copper chloride the student actually produced.

Actual mass of copper chloride produced = \_\_\_\_

#### Mark Scheme

#### Periodicity and properties of elements

Opening doors to a brighter future

#### Atomic Structure

https://www.bbc.co.uk/bitesize/guides/zwn8b82/revision/3 (pages 3,4 and 5) https://phet.colorado.edu/sims/html/build-an-atom/latest/build-an-atom\_en.html

Q1. Figure 1 shows an atom of element G.



#### Periodic Table

https://www.bbc.co.uk/bitesize/guides/ztv797h/revision/2 (pages 2-8) https://www.rsc.org/periodic-table/

Q2. The Periodic table below contains six errors. Highlight these.

																		CAPITHL
		8			н												He	lavercase
Li	Be											В	С	Ν	0	FI	Ne	
na	Mg					-	1				2	AI	Si	Ρ	S	CL	Ar	
κ	Ca	Sc	Ti	V	Cr	Mn	fe	co	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr	
Rb	Sr	У	Zr	Nb	Mo	Тс	Ru	Rh	pD	Ag	Cd	In	Sn	Sb	Te	I	Xe	
Cs	Ba	La	Hf	Та	W	Re	Os	Ir	Pt	Au	Hg	TI	Pb	Bi	Po	At	Rn	
Fr	Ra	Ac	Rf	Db	Sg	Bh	Hs	Mt	Ds	Rg								

(6)



Q3. Complete the labels on the diagram below using the following terms:





Q4. Read the information below on element X carefully. Use this to help you answer the questions which follow.

Element **X** has two different isotopes, both of which contain 17 protons. The least abundant isotope contains 20 neutrons. The second isotope is three time more abundant and contains 2 more neutrons. All the atoms contain 2 electrons in the first shell, 8 electrons in the second shell and 7 electrons in the third.

(2)

(4)

(1)

- (a) Where in the Periodic Table is element X found:
  - Group: ......7. Per

Period: ......3.....

(b) Use the Periodic Table in Q3. the key and your answer to Q4.(a) to complete Figure 2. for element X

Ar Ormahad	35.5	
Symbol		
name Z	chlorine.	
	.17	



Opening doors to a briah

- Q5. Lithium reacts with water to form lithium hydroxide and hydrogen.
  - (a) Balance the symbol equation for this reaction

...2. Li(s) + ...2. H<sub>2</sub>O(I) 
$$\rightarrow$$
 ...2.. LiOH(aq) + H<sub>2</sub>(g) (1)

(b) (i) Complete the table below for this reaction

	Reactant or product	State	Mr
Lithium	reactant	said	
Water	reactant	liquid	18.0
Lithium hydroxide	product	aquecus (soluti	an) 23.9
Hydrogen	product	gas	20

(ii) Calculate the total mass of the reactants. Are these the same as the total mass of the products? Show your workings.

Q6. The electronic structure of a potassium atom is 2,8,8,1Draw a diagram to show the electronic structure of a potassium ion. Show the charge on the ion.



Q7. Complete the dot and cross diagram to show the electrons in the outer shells of ammonia, NH<sub>3</sub>. Use the periodic table to help you.



(8)

(2)



Q8. The diagrams shown an atom of magnesium and an atom of chlorine.



Describe, in terms of electrons, how magnesium atoms and chlorine atoms change into ions to produce Magnesium chloride, MgCl<sub>2</sub>.

You may draw labelled diagrams.

00 CL (1 Ma (1) One Mg stor loses I.e. to one Cl. atam ..... to...a. 2nd .....It. Loses. a. 2nd ..... a Mg forms the Mg2t ion and each CI forms a CI-ian



#### Unit 2: Practical Scientific Procedures and Techniques

In this unit you will be required to complete a lot of practical procedures and so it is important that you know about laboratory safety.

#### Laboratory Safety

 Watch the video on safety in the laboratory: <u>https://www.youtube.com/watch?v=RhIOYhOvCsQ</u>

Use this to complete a list of safety rules to follow when completing any experiment.

Mear.a. lab. coat. (Instanced.up).
 Wear. Super. James. / giggles.
 The back long hair. (particulally when using a bursen burner.).
 Write a vish anomneut (before your complete the practical).
 Keep. the lab. tidy.
 Wripe up spillager.
 Jo. not. cat. (or drivel. or chemigum). in the lab.
 Mear. you hand. (particulally before your leave the lab.).







#### Practical techniques

One of the practical techniques you will need to complete is the preparation of a standard solution and performing a titration to test the solution you have prepared.

- Watch these videos to help you answer the questions https://www.youtube.com/watch?v=xBKyjXUhJy0 https://www.youtube.com/watch?v=rLc148UCT2w https://www.youtube.com/watch?v=gzvzvDv BnA
- Q1. (a) What is a standard solution? ....t. is a welntion of facewately) known
  - concentration (1)
  - (b) The diagram below shows the apparatus used to make a standard solution of sodium carbonate. Complete the labels. (7)



# **new**collaborative

Opening doors to a brighter future

(c) The standard solution prepared can be used to find the concentration of a solution of hydrochloric acid.



- (i) Complete the label to show name of the apparatus in which the acid is placed. (1)
- (iii) Figure 2. shows the level of the sodium carbonate solution in the burette at the start and the end of one titration. Use these to work out the volume of sodium carbonate added in the titration. Give your answer to 2 d.p.

24.50 - 2.35

Volume Na<sub>2</sub>CO<sub>3</sub>(aq) added = ....22.15....... cm<sup>3</sup> (1)

2 numbers after the decimal point

8



- Q2. (a) What is chromatography used for? ... to separate fand analyse) components ...
  - h a mixture (1)
  - (b) A student used paper chromatography to analyse a black food colouring. They placed spots of known food colours, A, B, C, D and E and the black food colouring on a sheet of chromatography paper. They set up the apparatus as shown in **Diagram 1**.



The student made **two** errors in setting up the apparatus. Identify the **two** errors and describe the problem each error would cause.

SterA. Line drawer in inte	.(.)
	.(1)
Solvent above the start line / sports under the solvent	
so they will work off the paper/ mix with the solvent	<i>(</i> ۱)

(c) A different student set up the apparatus without making any errors. The chromatogram in Diagram2. shows the student's results.



(i) What do the results tell you about the composition of the black food colouring?

The black food colouring contains A and E () and are other (winter own) substance (1) (2)



(ii) Use Diagram 2. to complete Table 1.

Table 1.

	Distance in mm
Distance from start line to solvent front	28.5 / 29
Distance moved by food colour C	allaw 11-12

(iii) Use your answers in (c)(ii) to calculate the Rf value for food colour C. Show your workings.

distance moved by c distance from stat line to solvent front

 $R_{f}$  value = .0.38 - 0.42. (1)

(iv) Table 2. gives the results of chromatography experiments that were carried out on some known food colours, using the same solvent as the students.

Name of food colour	Distance from start line to solvent front in mm	Distance moved by food colour in mm	R <sub>f</sub> value
Ponceau 4R	62	59	0.95
Carmoisine	74	45	0.61
Fast red	67	27	0.40
Erythrosine	58	17	0.29

Which of the food colours in **Table 2.** could be food colour **C** from the chromatogram? Give the reason for your answer.

Fast red (1). han same / xenzsiniler Rf. D.). if Rf. net canne an any. (2)

Table 2.

(2)

**new**collaborative

Opening doors to a brighter future

Q3. A student was told to complete a practical to investigate how temperature affects the rate of a reaction. The student carried out the reaction at five different temperatures and recorded the time taken for each.

The student then calculated the rate of reaction, in s<sup>-1</sup> for each experiment using the equation:

rate of reaction = 1

time

The student's results and calculations are shown below:

at 24.5 °C the experiment took 340 seconds	1/340 = 0.0029 s <sup>-1</sup>
at 39.0 °C it took 256 sec	1/256 = 0.0039 s <sup>.1</sup>
at 58.0 °C the experiment took 124 s	1/124 = 0.0081 s-1
80.5 °C 62 5	1/62 = 0.0161
51 °C 186 s	1/186 == 0.0054

(a) What is the independent variable in this experiment? Circle the correct answer rate of reaction time (temperature)

	rate of reaction	time	temperature	(1)
(b)	Tabulate the student's data in	an appropriate mann	ner.	(4)

temperature		rate of reaction I
24.5	340	0.0029
39.0	256	0.0039
51.0	186	0.0054
58.0	124	0,0081
80.5	62	0.0161

correct headings (1) units with headings any (1) all temperatures written to I d.p (1) temperatures written in order of increasing size (1)



(c) The rate of change of temperature of the block is given by the gradient of the graph. Determine the gradient of the graph over the first 60 seconds.

24.5-0 = 0.41(1)	
60-0 (1)	
	Gradient =0.141

# Titration and mole calculations

# Q1.

(a)	(titre): chooses titrations 3, 4, 5	1
	average titre = 22.13 (cm <sup>3</sup> ) allow average titre = 22.13(3) (cm <sup>3</sup> ) allow a correctly calculated average from an incorrect	
	choice of titrations	1
	(calculation): (moles NaOH = $\frac{22.13}{1000} \times 0.105 = 0.002324$ )	
	allow use of incorrect average titre from step 2	
	(moles H <sub>2</sub> SO <sub>4</sub> = ½ × 0.002324 =) 0.001162	1
	allow use of incorrect number of moles from step 3	1
	$\frac{0.001162}{25} \times 1000)$	1
	= 0.0465 (mol/dm <sup>3</sup> )	
	allow use of incorrect number of moles from step 4 alternative approach for step 3, step 4 and step 5	1
	$\frac{2}{1} = \frac{22.13 \times 0.105}{25.0 \times \text{conc. } H_2 \text{SO}_4} (1)$	
	$(concentration H_2SO_4 =)$ $\frac{22.13 \times 0.105}{25.0 \times 2}$	
	$= 0.0465 (mol/dm^3) (1)$	



Opening doors to a brighter future an answer of 0.046473 **or** 0.04648 correctly rounded to at least 2 sig figs scores marking points 3, 4 and 5 an answer of 0.092946 **or** 0.09296 **or** 0.185892 **or** 0.18592 correctly rounded to at least 2 sig figs scores marking points 3 and 5 an incorrect answer for one step does **not** prevent allocation of marks for subsequent steps

1

1

1

1

[12]

#### (b) pipette measures a fixed volume (accurately)

(but) burette measures variable volume allow can measure drop by drop

 $(moles =) \frac{30}{1000} \times 0.105$ 

or 0.00315 (mol)

(c)

or (mass per dm<sup>3</sup> =) 0.105 × 40 or 4.2 (g)

$$(mass = \frac{30}{1000} \times 0.105 \times 40)$$

= 0.126 (g)

an answer of 0.126 (g) scores **2** marks an answer of 126(g) scores **1** mark an incorrect answer for one step does **not** prevent allocation of marks for subsequent steps

### Q2.

(a)	add excess copper carbonate (to dilute hydrochloric acid)	
	accept alternatives to excess, such as 'until no more reacts'	1
		-
	filter (to remove excess copper carbonate)	
	reject heat until dry	
		1
	heat filtrate to evaporate some water <b>or</b> heat to point of crystallisation	
	accept leave to evaporate or leave in evaporating basin	
		1
	leave to cool (so crystals form)	
	until crystals form	
		1
	must be in correct order to gain <b>4</b> marks	



(0)		
	correct answer scores <b>4</b> marks	1
	moles copper chloride = (mass / $M_r$ = 11 / 134.5) = 0.0817843866	1
	<i>M</i> <sub>r</sub> CuCO <sub>3</sub> = 123.5	1
	Mass CuCO <sub>3</sub> (=moles × M <sub>2</sub> = 0.08178 × 123.5) = 10.1(00)	1
	accept 10.1 with no working shown for <b>4</b> marks	1
(c)	79.1 × 11.0 100	
	or	
	11.0 × 0.791	1
	8.70 (g)	1
	accept 8.70(g) with no working shown for <b>2</b> marks	1